



SSIVD1800DH



SSIVD1800PH



SSIVD1800AP

With Numatic Specialised the choice is clear with three new bespoke models aimed at Engineering Utility Applications. Each model is supplied with a full accessory kit making each vacuum suitable for a multitude of cleaning applications.



Numatic SSIVD1800DH Engineering Separator Vacuum



The Engineering range of vacuums are unrivalled when it comes reliability and performance, constructed using a high tech material known as “structofoam”. The ergonomically designed power head is fitted with twin By-pass motors as standard, delivering smooth yet efficient output with increased airflow and suction using “twinflo” motor technology. A unique wet and dry cartridge filter system is fitted alongside the zinc plated metal float assembly providing the perfect solution for most engineering applications. All vacuums accept hose sizes from 76mm down to 32mm and come complete with a 38mm accessory kit. A stainless steel mesh basket is supplied with a 30 litre holding capacity. Particle sizes greater than 1mm are trapped in the mesh basket, while coolants are allowed to freely pass through, with the collected coolant discharged using the on board drain hose.



The SSIVD1800DH carries the latest in technical compliance approvals and is part of a new improved product range produced by Numatic Specialised aimed at Engineering Utility Applications.



SSIVD1800DH Technical Specification

Regulatory Compliance

Machinery Directive 2006/42/EC

EMC Directive 2014/30/EU

RoHS Directive 2011/65/EU

IEC 60335-1 2001 + A1 2004 + A2 2006 + National Deviations

IEC 60335-2-2 2002 + A1 + A2

IEC 60335-2.69 2002 + A2

EN 55014-1:2001 + A1 2001, + A2 2002

EN55014-2 1997 + A1 2001 (Cat II)

EN 50366 2003 + A1 2006

Features Include

Powerful 2400 Watt Twin Motor Output

10mtr Mains Cable

Structof foam Construction

Fully Mobile Drum Assembly

30 litre Particulate Waste Capacity

60 Litre Wet/Coolant Capacity

Fitted Drain Hose

Cartridge Filter Set

Accessory Package

Two Year Vacuum Warranty

Selling Points; Separator Function, Fitted Drain Hose, Large Capacity

With Numatic Specialised you get more than just a vacuum cleaner. Our products are custom manufactured in our own bespoke workshops giving a unique build quality, while encompassing the traditional standard Numatic design. The products you buy from us are generally available ex stock and ready for immediate dispatch straight from our warehouse holding area.



Numatic SSIVD1800PH Engineering Separator Vacuum



The Engineering range of vacuums are unrivalled when it comes reliability and performance, constructed using a high tech material known as “structofoam”. The ergonomically designed power head is fitted with twin By-pass motors as standard, delivering smooth yet efficient output with increased airflow and suction using “twinflo” motor technology. A unique wet and dry cartridge filter system is fitted alongside the zinc plated metal float assembly providing the perfect solution for most engineering applications. All vacuums accept hose sizes from 76mm down to 32mm and come complete with a 38mm accessory kit. A stainless steel mesh basket is supplied with a 30 litre holding capacity. Particle sizes greater than 1mm are trapped in the mesh basket, while coolants are allowed to freely pass through, with the collected coolant discharged using the on board pump hose.



The SSIVD1800PH carries the latest in technical compliance approvals and is part of a new improved product range produced by Numatic Specialised aimed at Engineering Utility Applications.



SSIVD 1800PH Technical Specification

Regulatory Compliance

Machinery Directive 2006/42/EC

EMC Directive 2014/30/EU

RoHS Directive 2011/65/EU

IEC 60335-1 2001 + A1 2004 + A2 2006 + National Deviations

IEC 60335-2-2 2002 + A1 + A2

IEC 60335-2.69 2002 + A2

EN 55014-1:2001 + A1 2001, + A2 2002

EN55014-2 1997 + A1 2001 (Cat II)

EN 50366 2003 + A1 2006

Features Include

Powerful 2400 Watt Twin Motor Output

10mtr Mains Cable

Structof foam Construction

Fully Mobile Drum Assembly

30 litre Particulate Capacity

60 litre Wet/Coolant Waste Capacity

Fitted Pump Drain Hose

30 Litre Discharge Pump

Cartridge Filter Set

Accessory Package

Two Year Vacuum Warranty

Selling Points; Separator Function , Fitted Pump Drain Hose, Large Capacity

With Numatic Specialised you get more than just a vacuum cleaner. Our products are custom manufactured in our own bespoke workshops giving a unique build quality, while encompassing the traditional standard Numatic design. The products you buy from us are generally available ex stock and ready for immediate dispatch straight from our warehouse holding area.



Numatic SSIVD1800AP Engineering Separator Vacuum



The Engineering range of vacuums are unrivalled when it comes reliability and performance, constructed using a high tech material known as “structofoam”. The ergonomically designed power head is fitted with twin By-pass motors as standard, delivering smooth yet efficient output with increased airflow and suction using “twinflo” motor technology. A unique wet and dry cartridge filter system is fitted alongside the zinc plated metal float assembly providing the perfect solution for most engineering applications. All vacuums accept hose sizes from 76mm down to 32mm and come complete with a 38mm accessory kit. A stainless steel mesh basket is supplied with a 30 litre holding capacity. Particle sizes greater than 1mm are trapped in the mesh basket, while coolants are allowed to freely pass through, with the collected coolant discharged using the on board automatic discharge pump.



The SSIVD1800DH carries the latest in technical compliance approvals and is part of a new improved product range produced by Numatic Specialised aimed at Wet Pick up Utility Applications.



SSIVD1800AP Technical Specification

Regulatory Compliance

Machinery Directive 2006/42/EC

EMC Directive 2014/30/EU

RoHS Directive 2011/65/EU

IEC 60335-1 2001 + A1 2004 + A2 2006 + National Deviations

IEC 60335-2-2 2002 + A1 + A2

IEC 60335-2.69 2002 + A2

EN 55014-1:2001 + A1 2001, + A2 2002

EN55014-2 1997 + A1 2001 (Cat II)

EN 50366 2003 + A1 2006

Features Include

Powerful 2400 Watt Twin Motor Output

10mtr Mains Cable

Structof foam Construction

Fully Mobile Drum Assembly

30 litre Particulate Capacity

60 litre Wet/Coolant Waste Capacity

Automatic Discharge Pump

10mtr discharge hose

Impressive 160 litre per minute pump output

Cartridge Filter Set

Accessory Package

Two Year Vacuum Warranty

Selling Points; Separator Function, Fitted Automatic Discharge Pump, Large Capacity

With Numatic Specialised you get more than just a vacuum cleaner. Our products are custom manufactured in our own bespoke workshops giving a unique build quality, while encompassing the traditional standard Numatic design. The products you buy from us are generally available ex stock and ready for immediate dispatch straight from our warehouse holding area.