

# Henry<sub>HVR200</sub> Henry<sub>HVR240</sub>

The original Henry 200, a trusted and familiar face on the outside with the latest innovation inside.



Wand docking system



TriTex / HepaFlo filtration



Numatic high efficiency longlife motor



10m cable rewind and storage system



On / Off power indicator (above shows Henry 240)

**Henry 240, everything you love about your Henry but just that little bit bigger.**



- **A Class**  
Energy efficient, A rated.
- **High Efficiency Motor**  
Numatic high efficiency longlife motor.
- **10 Metre Cable**  
Easy reach, 10 metre cable and rewind storage system.
- **TriTex Filtration System**  
Improves filtration, cleanliness and capacity.
- **Wand Docking**  
Convenient, on-board wand docking storage.
- **HepaFlo**  
Easy to change high efficiency HepaFlo bags. NVM-1CH pack of 10 PN: 604015
- **Professional Accessory Set**  
A tool for every job, full accessory kit AS1 with stainless steel tube set.



HVR240



HVR200



On-board tool storage and wand docking



Model	Motor	Power	Suction H <sub>2</sub> O	Kit	Drum Capacity	Cleaning Range	*Ready to use Weight	Dimensions WxLxH
HVR200	620W	230V AC 50/60Hz	2300mm	AS1	9L	26.4m	8.0kg	340x360x370mm
HVR240							9.0kg	360x370x415mm
Energy Efficiency		Cleaning Performance		Dust Re-emissions		Sound Power Level		
Class A-G	KWh/annum	Carpet A-G	Hard Floor A-G					
A	25.2	C	C	C		72dB		


\*Ready to use (Machine + Kit)



# ProSave PSP180, PSP200, PSP370

A choice of 3 professional sizes all saving 50% in energy... performing 20% better. Designed to work for a living and work hard.

- **High Efficiency Motor**  
Numatic high efficiency longlife motor.
- **10 Metre Cable**  
Easy reach, 10 metre cable.
- **TriTex Filtration System**  
Improves filtration, cleanliness and capacity.
- **Wand Docking**  
Convenient, on-board wand docking storage.
- **HepaFlo**  
Easy to change HepaFlo bags.
- **Professional Accessory Set**  
A tool for every job, full accessory kit AH0 with aluminium tube set.
- **A Class**  
Energy efficient, A rated.



Numatic high efficiency longlife motor



ProFlo high efficiency combination floor tool

Model	Rated Motor Power	Power	Motor only Airflow	Suction H <sup>2</sup> O	Kit	Drum Capacity	Cleaning Range	*Ready to use Weight	Dimensions (WxLxH)
PSP180	620W	230V AC 50/60Hz	48L/sec	2300mm	AH0	8L	26.4m	6.0kg	340x360x360mm
PSP200						9L		8.0kg	340x360x370mm
PSP370						15L		9.0kg	360x370x510mm
Model	Energy Efficiency		Cleaning Performance				Dust Re-emissions	Sound Power Level	
	Class A-G	KWh/annum	Carpet A-G		Hard Floor A-G				
PSP180 PSP200 PSP370	A	27.9	D		C		C	72dB	

6 (See page 40 for full accessories)


\*Ready to use (Machine + Kit)

# NuSave NRP420

How green is your clean? NuSave provides true Eco "A Plus" economy with 420W longlife performance.



On-board tool storage and wand docking



On / Off power indicator



Numatic high efficiency 420W longlife motor



12.5m Cable rewind storage system



- **High Efficiency Motor**  
Numatic high efficiency longlife motor.
- **12.5 Metre Cable**  
Professional specification cable rewind system.
- **TriTex Filtration System**  
Improves filtration, cleanliness and capacity.
- **On-board Accessory Storage**  
Tools are always to hand.
- **Wand Docking**  
Convenient, on-board wand docking and tool storage.
- **HepaFlo**  
Easy to change high efficiency HepaFlo bags.
- **Professional Accessory Set**  
A tool for every job, full accessory kit AS1 with stainless steel tube set.
- **A Class**  
Energy efficient, A rated.

Model	Motor	Power	Suction H <sup>2</sup> O	Kit	Drum Capacity	Cleaning Range	*Ready to use Weight	Dimensions WxLxH
NRP420	420W	230V AC 50/60Hz	2300mm	AS1	9L	31.4m	9.0kg	360x370x415mm
Energy Efficiency		Cleaning Performance				Dust Re-emissions	Sound Power Level	
Class A-G	KWh/annum	Carpet A-G		Hard Floor A-G				
A	17.5	D		D		C	75dB	

\*Ready to use (Machine + Kit)


(See page 40 for full accessories) 7



# ProVac PPR240, PPR370

When a vacuum cleaner is used six or more hours a day it is demanding on both the user and the machine, only the best will do!

- **High Efficiency Motor**  
Numatic high efficiency longlife motor.
- **12.5 Metre Cable**  
Professional specification cable rewind system.
- **TriTex Filtration System**  
Improves filtration, cleanliness and capacity.
- **Wand Docking**  
Convenient, on-board wand docking storage.
- **HepaFlo**  
Easy to change high efficiency HepaFlo bags.
- **Professional Accessory Set**  
A tool for every job, full accessory kit AS1 with stainless steel tube set.
- **A Class**  
Energy efficient, A rated.



PPR240



PPR370



Easy change plugged cable



On / Off power indicator



On-board tool storage and wand docking

Model	Rated Motor Power	Power	Motor only Airflow	Suction H <sup>2</sup> O	Kit	Drum Capacity	Cleaning Range	*Ready to use Weight	Dimensions (WxLxH)
PPR240	620W	230V AC 50/60Hz	48L/sec	2300mm	AS1	9L	31.4m	9.0kg	360x370x415mm
PPR370						15L		10.0kg	360x370x510mm
Model	Energy Efficiency		Cleaning Performance				Dust Re-emissions	Sound Power Level	
	Class A-G	KWh/annum	Carpet A-G		Hard Floor A-G				
PPR240 PPR370	A	25.2	C		C		C	72dB	

\*Ready to use (Machine + Kit)

# ProVac PPT220, PPT390

An innovative vacuum design providing ease of handling and the total convenience of lift off storage for all the cleaning essentials.

Using the optional extra caddy (red, blue, green or yellow) the PPT can accommodate even more storage, if required.

- **12.5 Metre Cable**  
Professional specification cable rewind system.
- **TriTex Filtration System**  
Improves filtration, cleanliness and capacity.
- **Trolley Design**  
Lift off storage caddy with the option of adding a second. Telescopic handle for ease of transit and compact storage.
- **On the Move**  
Large rear wheels provide stability and ease of transport on stairways.
- **Plugged Mains Cable**  
Cable replacement is quick and easy, if required.



PPT220




PPT safe and secure docking system



Swing and lift off caddy system



PPT390



Model	Rated Motor Power	Power	Motor only Airflow	Suction H <sup>2</sup> O	Kit	Drum Capacity	Cleaning Range	*Ready to use Weight	Dimensions (WxLxH)
PPT220	620W	230V AC 50/60Hz	48L/sec	2300mm	AS1	9L	31.4m	12.3kg	355x355x615mm
PPT390						15L		12.6kg	355x355x655mm
Model	Energy Efficiency		Cleaning Performance				Dust Re-emissions	Sound Power Level	
	Class A-G	KWh/annum	Carpet A-G		Hard Floor A-G				
PPT220 PPT390	A	25.2	C	C		C	72dB		

\*Ready to use (Machine + Kit)

(See page 40 for full accessories) 9



# CordLESS NBV190, PBT230, RSB140

**36V cordless vacuum innovation presents performance, simplicity, convenience and total freedom... any time... any where.**

There are many occasions when cordless professional cleaning is the most simple solution in difficult circumstances, avoiding any conflict with the public and concerns in complying with increasing issues of Health and Safety and increasing regulations in such applications as the cleaning of aircraft.

- **36V Battery Pack**  
Exclusive lithium polymer 36V battery pack.
- **Charging Station**  
Off-board charger keeps you cleaning for longer.
- **Cleaning Choice**  
Three models to suit all professional cleaning applications.
- **LED Charge Indicator**  
Leaves nothing to chance you'll know exactly how much charge you have.
- **2 Speed Selection**  
Select the power you need when you need it.
- **TriTex Filtration System**  
Improves filtration, cleanliness and capacity.
- **HepaFlo**  
Easy to change high efficiency HepaFlo bags.



Quick and easy battery change

Optional extra battery pack

Battery charger system included



Secure battery system (RSB)



Swing and lift off caddy system (PBT230)



Battery power indicator (NBV and PBT display shown)



NBV190

RSB140

PBT230


Model	Rated Motor Power	Power Lithium Polymer	Motor only Airflow	Suction H <sup>2</sup> O	Kit	Drum Capacity	Runtime	Charge Time	*Ready to use Weight	Dimensions (WxLxH)
NBV190	250W	36V	20L/sec	1000mm	AA29E	8L	30mins	3.5hr	8.38kg	340x340x340mm
PBT230					AA30E	9L			10.35kg	355x355x615mm
RSB140					AA30E	6L			8.67kg	250x360x550mm

\*Ready to use (Machine + Kit)




# SteelTop NVQ200, NVQ370, NVQ380

The “Steel Top” originals are an essential part of our history but, at the same time, have established themselves in a whole range of applications to be the quality and performance standards against which we will be judged for years to come.



NVQ380  
Steel and Structofoam  
construction




TwinFlo 2 stage high efficiency motor




Nucable easy replacement plugged cable system

- **Built to Last**  
All steel deep-drawn power head provides a structure of exceptional strength.
- **Noise Reduction**  
Patented Microtec noise reduction system.
- **Professional and Powerful**  
Longlife professional TwinFlo motor.
- **HepaFlo**  
Easy to change high efficiency HepaFlo bags.
- **TriTex Filtration System**  
Improve filtration, cleanliness and capacity.
- **Nucable System**  
Quick and simple cable replacement, saving on expensive repairs due to damaged cables.
- **Professional Accessory Kit**  
Accessory kit AS1 incorporates a stainless steel tube set.



HepaFlo bags, clean to use and easy to empty



Professional specification throughport

Model	Rated Motor Power	Power	Motor only Airflow	Suction H <sup>2</sup> O	Kit	Drum Capacity	Cleaning Range	*Ready to use Weight	Dimensions (WxLxH)
NVQ200	780W	230V AC 50/60Hz	48L/sec	2350mm	AS1	9L	26.4m	9.65kg	355x355x435mm
NVQ370						15L		10.0kg	355x355x485mm
NVQ380								11.35kg	355x355x485mm
Model	Energy Efficiency		Cleaning Performance				Dust Re-emissions	Sound Power Level	
	Class A-G	KWh/annum	Carpet A-G		Hard Floor A-G				
NVQ200 NVQ370 NVQ380	B	32.5	C		C		D	75dB	

\*Ready to use (Machine + Kit)




# AllSteel NQS250, NQS250B

The all steel construction of today's NQS models is where the Numatic story started.

We learnt from the 250 that the commercial cleaning business was rough and tough but, having said that, the majority of our early machines are still working 20+ years later.



Nucleable easy replacement plugged cable system



- Professional Accessory Kit**  
 Accessory kit AS1 incorporates all that is needed for the professional cleaner.
- Nucable System**  
 Nucable allows quick and simple cable replacement, saving on expensive repairs due to damaged cables.
- TriTex Filtration System**  
 Improve filtration, cleanliness and capacity.
- HepaFlo**  
 Easy to change high efficiency HepaFlo bags.
- B Class**  
 Energy efficient, A rated.
- All Steel Construction**  
 Tough and hard wearing, built for years of professional use.



Choice of blower or diffuser system



TwinFlo 2 stage high efficiency motor

Model	Rated Motor Power	Power	Motor only Airflow	Suction H <sup>2</sup> O	Kit	Drum Capacity	Cleaning Range	*Ready to use Weight	Dimensions (WxLxH)
NQS250	780W	230V AC 50/60Hz	43L/sec	2350mm	AS1	9L	26.4m	10.0kg	340x340x395mm
NQS250B								10.0kg	
Model	Energy Efficiency		Cleaning Performance				Dust Re-emissions	Sound Power Level	
	Class A-G	KWh/annum	Carpet A-G		Hard Floor A-G				
NQS250/B	B	32.5	C		C		D	75dB	

\*Ready to use (Machine + Kit)

# AirCraft AVQ250, AVQ380

These machines are built to an exacting 110V / 400Hz standard of operation, suitable for most aircraft on-board power supply systems.

Seriously strong in construction, generous accessories to a 38mm (1½”) standard, designed to clean aircraft and clean them well.



RSBV130 Aircraft RucSac Vac



ProFlo heavy duty floor tool

- Built to Last**  
 All steel deep-drawn power head and superb 4 wheel mobility and stability.
- Noise Reduction**  
 Patented Microtec noise reduction system.
- Professional and Powerful**  
 TwinFlo motor performance.
- HepaFlo**  
 Easy to change high efficiency HepaFlo bags.
- TriTex Filtration System**  
 Improve filtration, cleanliness and capacity.
- RucSac Option Available**  
 See page 17 for more details.

Model	Rated Motor Power	Power	Motor only Airflow	Suction H <sup>2</sup> O	Kit	Drum Capacity	Cleaning Range	*Ready to use Weight	Dimensions (WxLxH)
AVQ250	960W	110V 400Hz	47L/sec	2500mm	BS15	9L	43.2m	10.62kg	340x340x395mm
AVQ380			42L/sec	2400mm	A30A	15L		11.82kg	355x355x485mm
RSBV130						6L		7.37kg	250x360x440mm

\*Ready to use (Machine + Kit)



TriTex filtration

